Introduction to LVM

NSRC

Problems with disk image files


- 1. Overhead of passing through filesystem layers just to read/write blocks to disk
- 2. Possible unnecessary caching in host VFS
- 3. Risk of fragmentation of the host filesystem
 - leads to many more disk seeks and thrusch worse performance
- Direct-to-disk access would give us better performance

Could we just use partitions?



- Certainly possible, but:
 - Partitions are a pain to manage / move
 - Partitions cannot span across drives

Solution: Logical Volume Manager



About LVM

- LVM stores data on "physical volumes"
 - Combined into "volume groups"
- Physical volumes divided into "extents"
 - usually 4MB
- Logical volume is a collection of extents
- You can grow a logical volume by adding extents
- When you remove a LV, its extents are freed and can be used for other LVs

About LVM

- LVM stores a small amount of metadata
 - small table of mappings from logical vols to extent
 - IDs to allow the physical volumes to be recognised and assembled into volume groups
- Extent mapping is very quick
- No need to move any data when adding, removing or resizing volume groups
- Can add new physical volumes to a vol group

Accessing logical volumes

- Logical volumes appear as block devices
 - /dev/VOLGROUP/VOLUME or
 - /dev/mapper/VOLGROUP-VOLUME
- CLI tools in the "lvm2" package


```
- pvscan # list all physical vols
```

- lvscan # list all logical vols
- lvdisplay # more detail
- lvcreate --size 1G --name foo xenvg
- lvextend --size +512M /dev/xenvg/foo
- lvremove /dev/xenvg/foo

Note on physical volumes

- An LVM "physical volume" need not be an entire disk
- It can just be a partition
- Hence you can mix LVM and non-LVM on the same disk
- This is important if you don't have a separate boot disk
 - So the bootstrap loader need not understand LVM

Partitioning and LVM



- Partition table includes Master Boot Record
- sda1 (e.g. 1GB) partition floro ot filesystem
- sda2 (rest of disk) is LVM physical volume

Whole disk LVM

- Other boot options are possible
 - Separate bootable OS disk
 - Boot kernel from USB stick
 - Boot kernel over network (PXEboot)
- In these cases, yocouldmake the whole data disk be a physical volume (no partition table)
- Simpler? You decide

Take care!

- Dealing with logical volumes like dealing with raw partitions, with the same dangers
- Easy to write to the wrong volume device!
 - especially if LVs have auto-assigned names
- Don't mount the same LV on the hast in a virtual machine, or in multiple VMs
 - Filesystem corruption is guaranteed *

^{*} Unless you are using an esoteric cluster filesystem e.g. GFS, OCFS2

Summary

- LVM breaks disk space into 4MB extents
- Logical Volumes can be assembled out of any extents in a Volume Group
- A Volume Group can span multiple Physical Volumes
- Gives the speed of direct-to-disk access without the inflexibility of partitioning