

FreeBSD command reference

Command structure

Each line you type at the Unix shell consists of a **command** optionally followed by some **arguments**, e.g.

```
ls -l /etc/passwd
|
|
cmd arg1 arg2
```

Allmost all commands are just programs in the filesystem, e.g. "ls" is actually /bin/ls. A few are built-in to the shell. All commands and filenames are *case-sensitive*.

Unless told otherwise, the command will run in the "foreground" - that is, you won't be returned to the shell prompt until it has finished. You can press Ctrl + C to terminate it.

Colour code

<code>command [args...]</code>	Command which <i>shows</i> information
<code>command [args...]</code>	Command which <i>modifies</i> your current session or system settings, but changes will be lost when you exit your shell or reboot
<code>command [args...]</code>	Command which <i>permanently affects</i> the state of your system

Getting out of trouble

<code>^C (Ctrl-C)</code>	Terminate the current command
<code>^U (Ctrl-U)</code>	Clear to start of line
<code>reset</code>	Reset terminal settings. If in xterm, try Ctrl+Middle mouse button and select "Do Full Reset"
<code>stty sane</code>	
<code>exit</code>	Exit from the shell
<code>logout</code>	
<code>ESC :q! ENTER</code>	Quit from vi without saving

Finding documentation

<code>man cmd</code>	Show manual page for command "cmd". If a page with the same name exists in multiple sections, you can give the section number, or -a to show pages from all sections.
<code>man 5 cmd</code>	
<code>man -a cmd</code>	
<code>man -k str</code>	Search for string "str" in the manual index
<code>man hier</code>	Description of directory structure
<code>cd /usr/share/doc; ls</code>	Browse system documentation and examples. Note especially <code>/usr/share/doc/en/books/handbook/index.html</code>
<code>cd /usr/share/examples; ls</code>	
<code>cd /usr/local/share/doc; ls</code>	Browse package documentation and examples
<code>cd /usr/local/share/examples</code>	
On the web: www.freebsd.org	Includes handbook, searchable mailing list archives

System status

<code>ALT-F1 ... ALT-F8</code>	Switch between virtual consoles
<code>date</code>	Show current date and time
<code>ntptime -b serv1 serv2 ...</code>	Synchronise clock to given NTP server(s)
<code>uptime</code>	Display time since last reboot and load stats
<code>w</code>	Show who is currently logged in
<code>last -l0</code>	Show last 10 logins

Directories

<code>pwd</code>	Show current directory ("print working directory")
<code>cd subdir</code>	Move into a subdirectory of the current directory
<code>cd ..</code>	Move up one level, to the parent directory
<code>cd /</code>	Change current directory: to the filesystem root, to an absolute location a particular user's home directory, or to your own home directory
<code>cd /absolute/path</code>	
<code>cd ~username</code>	
<code>ls</code>	List contents of current directory or given directory
<code>ls path</code>	
<code>ls -l</code>	List directory in long form (<i>lowercase L, not number one</i>)
<code>ls -a</code>	List all files, including hidden files
<code>ls -d</code>	List directory itself, rather than its contents
<code>ls -ld path</code>	Example of combining flags
<code>mkdir path</code>	Create a directory
<code>rmdir path</code>	Delete an empty directory
<code>rm -rf subdir</code>	Recursively delete a directory and all its contents - DANGEROUS!

Files

<code>file filename</code>	Read first few bytes of file and guess its type
<code>less filename</code>	Read contents of file in pager. space = next page, b = previous page, q = quit / = search forward, ? = search backwards, n = repeat search
<code>less -M filename</code>	-M = show filename, -i = case-insensitive searching
<code>grep [-i] pattern filename</code>	Show all lines which contain the given pattern; -i = case-insensitive
<code>wc -l filename</code>	Count lines in file (<i>lowercase L, not one</i>)
<code>head -num filename</code>	Show first/last <i>num</i> lines of file; defaults to 10 lines
<code>tail -num filename</code>	
<code>tail -f filename</code>	Show last 10 lines of file then wait and show new lines as they are added ('C' to exit). Especially useful for log files.
<code>strings filename less</code>	Extract printable text strings from a binary file
<code>touch filename</code>	Create file if it does not exist, or update its timestamp
<code>rm filename</code>	Delete (remove) file
<code>cp filename newname</code>	Copy one file
<code>cp file1 file2 ... subdir/</code>	Copy a file or files into another directory. (The trailing slash on the sub is not essential, but prevents errors when you are copying one file and 'subdir' does not exist)
<code>mv oldname newname</code>	Rename one file or directory
<code>mv file1 file2 ... subdir/</code>	Move a file or files into another directory
<code>ln filename newname</code>	Make a <i>hard link</i> from file to newname (both names point to the same filesystem inode). Both names must be on same filesystem.
<code>ln -s path newname</code>	Make newname a <i>symbolic or soft link</i> pointing to <i>path</i> , which may be a file or directory and can be anywhere on the filesystem.

Searching for files

locate str	Search for filenames matching <i>str</i> in the locate database
/etc/periodic/weekly/310.locate	Rebuild the locate database
find path -type f	Find all files under the given path (use "." for current directory)
find path -type f -name 'foo*'	Find all files under the given path whose name begins "foo"
find path -type f xargs cmd	Find all files under path and apply <i>cmd</i> to each of them
find path -type f -print0 xargs -0 cmd	Safer version of above (works with filenames that contain spaces)

Compressed files and archives

gzip -dc filename.gz less	Read compressed text file, without uncompressing it on disk
bzip2 -dc filename.bz2 less	
tar -tzf filename.tgz or .tar.gz	Show contents of compressed tar archive. Add -v for more detail
tar -tjf filename.tbz2 or .tar.bz2	
tar -xvzf [-C dir] filename.tgz	Extract contents of compressed archive [into specified directory, otherwise into current directory]
tar -xvzf [-C dir] filename.tbz2	
nroff -mandoc foo.1 less	Format a man page file

Processes

ps auxw	Show all processes
ps auxw grep procname	Show all processes matching pattern "procname" (note that "grep procname" itself may be shown)
top	Show continuously the most active processes (q to quit)
kill pid	Send a 'terminate' signal to the given process: requests process to clean up quickly and exit
kill -TERM pid	
kill -I pid	Send a 'hangup' signal to the given process: some processes use this as a request to re-read their config files. (<i>one, not letter 'L'</i>)
kill -HUP pid	
kill -9 pid	Send a 'kill' signal to the given process: the process is killed immediately and cannot clean up first. Use only as a last resort.
kill -KILL pid	
killall [-l -9] procname	Send signal to all processes whose name is "procname"

Account customisations

~/.profile	EDITOR=joe; export EDITOR PAGER=less; export PAGER	Change your default editor and pager
~/.bash_profile	• .profile PS1='\u@\h \W \s \# ' ; export PS1	bash prompt which displays your current username, host, and directory
~/.netrc	default login ftp password user@site	Make ftp client login automatically
~/.xinitrc	exec startkde	Choose 'kde' desktop

X Window System

startx	Start graphical environment
Ctrl-Alt-F1 ... Alt-F9	Switch to text console while in X; return to X
Ctrl-Alt-Backspace	Emergency exit from X
xterm -sb -sl 500 -ls	Run xterm with 500 lines of scrollbar (much better than Konsole)
xset b off	Disable terminal beep in X environment

Shell facilities

which **foo**
 history 20
 !**num**
cmd1; **cmd2**
cmd1 && **cmd2**

Search for command *foo* in PATH and show where it was found
 Display the 20 most recently entered commands
 Re-execute command *num* from history
 Run *cmd1* followed by *cmd2*
 Run *cmd1*, then *cmd2* only if *cmd1* was successful (\$? = 0)

Argument expansion

~/file
 ~user/file
 /somepath/*.*.txt
 \$var

Expands to /home/*username*/file or /home/*user*/file
 Expands to all filenames matching that pattern.
 * matches any characters; ? matches any one char; [abc] matches on those characters; [a-z] matches any in that range.
 Substitute value of environment variable 'var'

The special meaning of characters (including space which normally separates arguments) can be removed by preceding them with backslash; or by 'quoting' or 'quoting' the whole argument. See *man sh* or *man csh*.

Environment

printenv
 Sh

'vi' editor

This is the standard Unix editor and is always available. You must be *extremely* careful though, because the effect of hitting a key will depend on what mode you are in at that time. If in any doubt, hit ESC to get back to command mode, then enter one of the commands shown here.

:q! [Enter]	Quit without saving
:wq [Enter]	Write and quit
:wq! [Enter]	Write and quit, forcing overwrite of read-only file
:w filename. [Enter]	Write out to a different file
^L (Ctrl-L)	Redraw screen
^	Move to start of line
\$	Move to end of line
h j k l	Move cursor left / down / up / right (alternative to cursor keys)
:num [Enter]	Go to line number <i>num</i>
G	Go to last line
/pattern [Enter]	Search forwards for pattern
?pattern [Enter]	Search backwards for pattern
n	Repeat last search
i text ESC	Insert text before cursor position
A text ESC	Append text after end of line
o text ESC	Open new line after current one and insert text
x	Delete character under cursor
r char	Replace character under cursor with another single character
dd	Delete entire line
yy	Copy current line ("yank")
num yy	Copy <i>num</i> lines, starting with the current line
P	Paste copy buffer <i>after</i> current line

'ee' editor

This is a simpler alternative to 'vi' and is installed as part of the FreeBSD base system. However it may not always be available (there is `/rescue/vi` for emergencies when `/usr` is not mounted, but no emergency 'ee').

You don't need to remember anything in this table; all commands are described on-screen.

ESC	Pop-up menu
^C	Command prompt
^C quit [Enter]	Quit without saving
^C exit [Enter]	Write and quit
^C write [Enter]	Write out to a different file
^A	Move to start of line
^E	Move to end of line
^C num [Enter]	Go to line number <i>num</i>
^Y string [Enter]	Search forwards for string
^X	Repeat last search
^K	Delete entire line

'joe' editor

'joe' is a powerful editor and a lot more forgiving than 'vi', but needs to be installed as a separate package and may not always be available. You can get away with knowing only ^K X, and even that is shown in the on-screen help!

^K H (Ctrl-K, H)	Toggle help on/off
^C	Quit without saving
^K X	Write and quit
^K D	Write (optionally to a different filename) without quitting
^R	Redraw screen
^T T	Toggle insert/overwrite mode
^A	Move to start of line (or use 'Home')
^E	Move to end of line (or use 'End')
^K L num [Enter]	Go to line number <i>num</i>
^K V	Got to last line
^K F pattern [Enter]	Search for pattern; gives options for backwards and replace
^L	Repeat last search
^Y	Delete entire line
^_	Undo (on some terminals, Ctrl-Shift-Underscore is required)
^K B	Mark start of block
^K K	Mark end of block
^K C	Copy block to current cursor position
^K M	Move block to current cursor position
^K Y	Delete block
^K W	Write block to a file
^K R	Insert file at current cursor position

You can get alternative key bindings by invoking as 'jraes', 'jstar' or 'jpicu' which correspond to emacs, WordStar and pico respectively.

System Administration

User accounts

id	Show current uid, gid and supplementary groups
whoami	Show current username only
su	Change uid to root (<i>note: user must be in "wheel" group</i>)
su <i>username</i>	Change uid to <i>username</i>
su -	As above, but also reinitialise environment as per a full login
su - <i>username</i>	
cat /etc/passwd	Show all accounts
cat /etc/grub	Show all groups
pw useradd <i>username</i> -m	Create user; -m = make home directory
passwd	Set or change password for self or for another account (root only)
passwd <i>username</i>	
pw usermod <i>username</i> -G wheel	Add user to "wheel" group (or just edit <i>etc/group</i> directly)
pw userdel <i>username</i> -r	Delete user; -r = remove home directory and all its contents
cat /etc/master.passwd	Show all accounts (including encrypted passwords)
vipw	Lock master.passwd, edit it, and rebuild password databases

Filesystems

mount	Show mounted filesystems
df	Show used and free space in all mounted filesystems (<i>-h</i> = "human readable", <i>e.g. shows /G instead of /048576</i>)
df -h	
du -c [path]	Add up space used by files/directories under <i>path</i> (or current dir)
mount -r -t cd9660 /dev/acd0 /cdrom	Mount device /dev/acd0 [IDE CD] on directory /cdrom ; filesystem type is cd9660 ; -r = read-only.
umount /cdrom	Unmount device (must not be in use)
mount -t msdos /dev/Ed0 /mnt	Similar for MS-DOS floppy disk
umount /mnt	
fstat	List processes with open files
cat /etc/fstab	Show filesystem table
mount /cdrom	Mount /cdrom using parameters from /etc/fstab
mount -a	Mount all filesystems in /etc/fstab except those labelled "noauto" (this is done at normal bootup, but is useful when booting into single-user mode)
fscck -y /dev/acd0s1d	Repair UFS filesystem on /dev/acd0s1d . <i>NOTE: must be unmounted or mounted read-only</i>

Slices and Partitions

fdisk /dev/ada0	Show slices ("partitions" in DOS terminology) on device
disklabel /dev/ada0s1	Show FreeBSD partitions within a slice
/stand/sysinstall	Has options for partitioning and slicing, should you need to add another disk to an already-installed FreeBSD system
iostat 2	Show disk I/O statistics every 2 seconds
gstat -I 2s	

Packages

pkg_info	Show summary list of installed packages
pkg_info foo-1.2.3	Show detailed description of package "foo"
pkg_info foo*	
pkg_info -L foo*	Show list of files included in package "foo"
pkg_info -W /usr/local/bin/foo	Find which package contains file /usr/local/bin/foo
pkg_add foo-1.2.3.tbz	Install package from file
pkg_add -r foo	Install package from default FTP server
PACKAGEROOT="ftp://ftp.uk.freebsd.org" pkg_add -r foo	Install package from alternative FTP server
pkg_delete foo-1.2.3	Uninstall package
rehash	After installing a package, rescans PATH for new executables. (<i>Only needed if you are using csh</i>)

Kernel modules

kldstat	Show loaded modules
kldload <i>if_wi</i>	Load named module and any modules it depends on
kldunload <i>if_wi</i>	Unload module

Networking

ifconfig -a	Show all interfaces
ifconfig fxp0 192.168.0.1/24	Configure an interface
netstat -r -n	Show forwarding table (routes)
route add default 192.168.0.254	Add static default route
ping 1.2.3.4	Send test packets, display responses (°C to exit)
traceroute -n 1.2.3.4	Send test packets and display intermediate routers found
tcpdump -i fxp0 -n -s1500 -X	Show entire packets sent and received on given interface; second form shows only packet headers to/from TCP port 80
tcpdump -i fxp0 -n top port 80	
telnet 1.2.3.4 80	Open TCP connection to port 80 on host 1.2.3.4
vi /etc/rc.conf	Edit startup configuration file, DNS resolver configuration file (see "Important Configuration Files")
vi /etc/resolv.conf	
/etc/rc.d/netif start	Initialise network interfaces from settings in /etc/rc.conf
/etc/rc.d/routing start	Initialise static routes from settings in /etc/rc.conf
/etc/rc.d/dhclient start	Configure interfaces marked "DHCP" in /etc/rc.conf
netstat -finet -n	Show active network connections [add -a for listening sockets]
sockstat -4 -l	Show processes listening on IPv4 sockets

Shutdown

reboot	Reboot immediately
halt	Shutdown immediately
halt -P	Shutdown immediately and turn off power if possible
shutdown -h 5 "sys maintenance"	Halt in 5 minutes, send warning message to logged-in users

Important Configuration Files

Many of these are documented in section 5 of the manual, e.g. "man 5 crontab"

/etc/crontab	Regular scheduled tasks
/etc/group	Binds supplementary groups to users (won't take effect until they next login)
/etc/hosts	Local mappings between IP addresses and hostnames
/etc/inetd.conf	Controls services started from inet, but which don't have their own daemon processes, e.g. ftpd
/etc/localtime	(Binary file, not editable) describes the current time zone
/etc/mail/mailler.conf	# cp /usr/share/zoneinfo/Africa/Maputo /etc/localtime
/etc/make.conf	Configures which MTA is used when local processes generate mail
/etc/motd	Defaults for when building software applications/ports
/etc/newsyslog.conf	"Message of the day" displayed on login
/etc/periodic/...	Configures automatic rotation of log files
/etc/rc.conf	Various scripts which are run at scheduled times
	Master configuration file. See /etc/defaults/rc.conf for allowable settings (but don't edit them there, because changes will be lost on upgrade)
	# Network settings hostname="foo.example.com" ifconfig_fxp0="192.168.0.1/24" # or "DHCP" defaultrouter="192.168.0.254" # Set clock at bootup ntpdate_enable="YES" ntpdate_flags="-b ntp-1.example.net ntp-2.example.net" # Enable services inetd_enable="YES" sshd_enable="YES"
/etc/rc.d/...	Startup scripts, run as /etc/rc.d/foo start or /etc/rc.d/foo stop Will not work unless the relevant service_enable="YES" exists in /etc/rc.conf
/etc/rc.local	Create this script to perform additional commands at system startup
/etc/resolv.conf	Configure DNS client search example.com nameserver 192.0.2.1 nameserver 192.0.2.2
/etc/ssh/sshd_config	Configure ssh daemon (e.g. permit or refuse root logins)
/etc/sysctl.conf	Set run-time kernel variables at bootup, e.g. net.inet.ip.forwarding=1 # if this machine is a router
/etc/syslog.conf	Configure destinations of log messages. After changing: # killall -l syslogd
/etc/ttys	Configure logins on serial lines or modems
/etc/X11/xorg.conf	X Window server (display) configuration. To create: # Xorg -configure # mv /root/xorg.conf.new /etc/X11/xorg.conf
/usr/local/etc/...	Configuration files for third-party programs (ports/packages)
/usr/share/skel/...	Skeleton files which populate a new user's home directory
~/.ssh/authorized_keys	Public keys corresponding to the private keys which are permitted to login to this account using SSH/RSAS/DSA authentication

Other important files and directories

/boot/kernel/kernel	The kernel itself, and its loadable modules
/boot/kernel/*.*.so	
/boot/loader.conf	Kernel configuration at startup time. See /boot/defaults/loader.conf and /usr/src/sys/i386/conf/GENERIC.hints
/dev/null	hint.acpi.0.disabled=1 # disable ACPI if_wi_load="YES" # load the 'wi' network driver snd_driver_load="YES" # load all sound drivers
/rescue/...	The "bit bucket". To discard all output from a command (stdout and stderr): # someCommand >/dev/null 2>&1 [sh]
/root	Statically-linked binaries for use in emergencies
/stand/sysinstall	Home directory for 'root' user (so it's still available when other filesystems are not mounted)
/usr/src/sys/i386/conf/MYKERNEL	Run this to re-enter the installation menu
/var/db/pkg/...	Configuration file to build kernel "MYKERNEL" (see "GENERIC" for the default kernel which comes with FreeBSD)
/var/log/maillog	Where pkg_add records installed packages (don't alter them!)
/var/log/messages	Mail log file
/var/mail/username	General system log file
/var/run/inetd.pid	Default location for user's mailbox
/var/spool/mqueue/...	File containing process ID of running 'inetd' daemon
/var/tmp	Sendmail queued messages
	Temporary files; applications should write large files here rather than /tmp as it's usual on a larger filesystem

File permissions

ls -l filename	Show permissions on file or directory.
ls -ld directory	<pre> ----- type (=-file, d=directory) ----- rwx perms for user (owner) ----- rwx perms for group ----- rwx perms for other -----lwxrwxrwx </pre>
chown user path	For a file: r allows read; w allows write/append; x allows execute. For a directory: r allows listing contents; w allows creation or deletion of files within directory; x allows directory to be entered
chgrp group path	Change the owner, group, or both, of a file or directory.
chown user:group path	
chmod [ugoal]+[rwx] path	Add or remove permission mode bits. u = user (owner), g = group, o = other, a = all (ugo) e.g. "chmod go+r file" adds the 'r' permission to group and other.
chmod [ugoal]-[rwx] path	Change all the mode bits at once to octal value <i>mm</i> . e.g. "chmod 640 file" sets rw- for user, r-- for group, --- for other.
chmod mm path	0 --- 1 --x 2 -w- 3 -wx 4 -- 5 l--x 6 l-w- 7 lwx
umask	Show or set the file creation mask for this session; these are the permission which will <i>not</i> be set on newly-created files. For example, "umask 022" means that newly-created files have no more than rw-r-x-r-x permissions.
umask mm	